



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PLANT PATENT APPLICATION TRANSMITTAL LETTER

Honorable Commissioner of Patents and Trademarks
Washington, D.C. 20231



Sir:

Transmitted herewith for filing is the Plant Patent
Application (in duplicate)

of L. PERNILLE OLESEN AND MOGENS N. OLESEN

for 'POULymp'

Enclosed are:

- [X] Two sheets of formal drawings.
- [X] The declaration of the inventors.
- [X] Assignment of the variety to Poulsen Roser ApS.

The fee has been calculated as follows:

Basic Application Fee	\$ 480.00
Assignment Recording Fee of \$40.00	= \$ <u>40.00</u>
TOTAL FEE	= \$ 520.00

- [X] A check in the amount of \$ 520.00 is attached.
- [X] Return Receipt Postcard Addressed to Poulsen Roser Pacific, Inc.

Very respectfully,

L. Pernille Olesen
L. Pernille Olesen
Vice President

Mogens N. Olesen
Mogens N. Olesen
President

Poulsen Roser ApS
Hillerødvejen 49
DK-3480 Fredensborg
Denmark
Tele: 45-48-48-30-28
Fax: 45-48-48-55-78

(send correspondence here)
Poulsen Roser Pacific, Inc.
2550 Old Military Road
Central Point, Oregon 97502
Tele: 1-541-773-5009
Fax: 1-541-773-5080

Express Mail Label # EL639372619US

, Date of Deposit 30 June, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service using "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to "Assistant Commissioner for Patents, Washington, DC 20231."

Signed: *Gary R. Pellett*

Gary R. Pellett

06/30/00 09/60/327 06/30/00

UNITED STATES PLANT PATENT APPLICATION

of

L. PERNILLE AND MOGENS N. OLESEN

for

COMPACT FLORIBUNDA ROSE VARIETY

'POULymp'

SUMMARY OF THE INVENTION

The present invention constitutes a new and distinct variety of Compact Floribunda rose plant which originated from a controlled crossing between an Unnamed Seedling and an Unnamed Seedling. The two parents were crossed and the resulting seeds were planted in a controlled environment. The new variety is named 'POULymp'.

The new rose may be distinguished from its seed parent, an Unnamed Seedling, by the following combination of characteristics:

1. The Unnamed seed parent's flowers are yellow, where those of 'POULymp' are more golden bronze in color.
2. The growth of the Unnamed seed parent is more vigorous than that of 'POULymp'.

The new variety may be distinguished from its pollen parent, an Unnamed Seedling, created by the same inventors, by the following combination of characteristics:

1. The Unnamed pollen parent's flowers are a clear yellow, where those of 'POULymp' are a golden bronze color.
2. The growth of the pollen parent is more vigorous than that of 'POULymp'.

The objective of the hybridization of this rose variety for commercial greenhouse culture was to create a

new and distinct variety with unique qualities, such as:

1. Uniform and abundant flowers;
2. Vigorous and compact growth;
3. Year-round flowering under glasshouse
5 conditions;
4. Suitability for production from softwood
cuttings in pots;
5. Durable flowers and foliage that make a
variety suitable for distribution in the
10 floral industry.

The combination of qualities of this variety
represents significant improvement over previously
available commercial cultivars of this type and
distinguishes 'POULymp' from all other varieties of which
15 we are aware.

As part of their rose development program, L. Pernille
Olesen and Mogens N. Olesen germinated the seeds from the
aforementioned hybridization and conducted evaluations on
the resulting seedlings in a controlled environment in
20 Fredensborg, Denmark. 'POULymp' was selected by the
inventors as a single plant from the progeny of the
hybridization in Fredensborg, Denmark in the Spring of
1996.

Asexual reproduction of 'POULymp' by cuttings and
25 traditional budding was first done by L. Pernille and
Mogens N. Olesen in their nursery in Fredensborg, Denmark,

in July, 1996. This initial and other subsequent propagations conducted in controlled environments have demonstrated that the characteristics of 'POULymp' are true to type and are transmitted from one generation to the next.

BRIEF DESCRIPTION OF THE DRAWING

The accompanying color illustrations show as true as is reasonably possible to obtain in color photographs of this type, the typical characteristics of the buds, flowers, leaves, stems, and a plant of 'POULymp'.

Specifically illustrated in SHEET 1:

1. Stem showing branching and the attachment of leaves, buds and peduncles.
2. Flower bud, partially opened bud, and open bloom;
3. Flower petals, detached;

Specifically illustrated in SHEET 2:

4. Sepals, receptacle, and pedicel;
5. Foliated stem as well as a bare stems exhibiting thorns;
6. Leaves.

DETAILED DESCRIPTION OF THE VARIETY

The following is a description of 'POULymp', as observed in its growth in glasshouses in Half Moon Bay, California. Color references are made using the Royal

Horticultural Society (London, England) Colour Chart, 1995, except where common terms of color are used.

For a comparison, several physical characteristics of the rose variety 'POULsail', a Compact Floribunda rose variety from the same inventors described and illustrated in U.S. Plant Patent Application No. 09/140630 dated 26 August 1998, are compared to 'POULymp' in Chart 1.

CHART 1

	'POULymp'	'POULsail'
10 Bud color, 1/4 open.	Orange-Red Group 35A with overlay of Greyed-Red Group 179 B/C.	Red Group 39A- 43C.
15 Open flower bloom color, upper petal surface.	Yellow-Orange Group 21C.	Red Group 41C
20 Open flower bloom petal color, reverse side.	Orange-Red Group 35C.	Red Group 41C.

Parents: Unnamed Seedling X Unnamed Seedling.

Classification:

Botanical: Rosa hybrida.

Commercial: Compact Floribunda

FLOWER AND FLOWER BUD

Blooming habit: Recurrent.

Flower bud:

Size: Upon opening, 32 mm to 36 mm in length
 from base of receptacle to end of bud.

Bud form: The bud form is initially high
 centered, and pointed. Once sepals
 drop/open half way, then bud is
 cylindrical in shape.

Bud color: As sepals unfold, blend of Greyed-Red
 Group 179B-C and Orange-Red Group 35A.
 Blend of Greyed-Red Group 179C and
 Orange-Red Group 35A at $\frac{1}{4}$ opening.

Sepals: Green Group 137A. Weak foliaceous
 appendages on three of the five
 sepals. Surfaces of sepals slightly
 pubescent. A few stipitate glands
 present. Distal ends of sepals have
 foliaceous appendages.

Receptacle:

Surface: Smooth.

Shape: Broadly funnel shaped.

Size: 7 mm (h) x 8 mm to 9 mm (w).

Color: Green Group 138 A.

Peduncle:

Surface: Smooth.

Length: 50 mm to 70 mm average length.

Color: Green Group 138 A.

Strength: Upright.

Borne: Typically with a single bud per flowering stem.

Flower bloom:

Fragrance: Light scent.

5 Duration: As a pot plant, flowers last from 11 to 14 days. As a cut flower, flowers last 3 to 4 days.

Size: Large for a 15 cm pot rose. Average flower diameter is 60 mm to 70 mm when open.

Form:

Shape of flower when viewed from the side:

Upon opening, upper part: Convex.

Upon opening, lower part: Convex.

15 Open flower, upper part: Convex.

Open flower, lower part: Flat.

Petalage: Double. 25 to 30 petals under normal conditions with 2-3 petaloids.

Color:

20 Upon opening, petals:

Outermost petals:

Upper Surface: Blend of Yellow-Orange Group 20B and Orange Group 24C.

Reverse Side: Orange-Red Group 32 B/C.

25 Innermost petals:

Upper Surface: Yellow-Orange Group 19 A/B.

Reverse Side: Orange-Red Group 32 B/C.

Basal petal spots; Outermost petals:

Outer Side: Yellow-Green Group 1C.

Inner Side: Yellow-Green Group 1C to

5 Yellow-Green Group 2A.

Basal petal spots; Innermost petals:

Outer Side: Yellow-Green Group 1C.

Inner Side: Yellow-Green Group 2A.

After opening, petals:

10 Outermost petals:

Upper Surface: Yellow-Orange Group 21C.

Reverse Side: Orange-Red Group 35C with
inotations of Yellow-Orange
21C. Petal edges are Yellow-
15 Orange 21C.

Innermost petals:

Upper Surface: Yellow group 13C.

Reverse Side: Orange-Red Group 34D.

Basal petal spots; Outermost petals:

20 Outer Side: Yellow Group 7B.

Inner Side: Yellow Group 7B/2A.

Basal petal spots; Innermost petals:

Outer Side: Yellow Group 13B.

Inner Side: Yellow Group 7B.

25 **General Tonality:** On open flower blend of
Yellow-Orange Group 20B,

5

Orange Group 24C, and Yellow-Orange Group 21C. No change in the general tonality at the end of 4 - 5 days. Afterwards, general tonality is Orange Group 24B and Yellow-Orange 16B.

Petals:

	<u>Petal Reflex:</u>	Reflexed.
10	<u>Petal Edge:</u>	Slightly ruffled.
	<u>Shape:</u>	Deltoid.
	<u>Petaloids:</u>	2-3 petaloids.
	<u>Thickness:</u>	Average.
	<u>Arrangement:</u>	Informal.
15	Reproductive Organs:	
	<u>Pollen:</u>	
	Color:	Greyed-Orange Group 163A.
	Quantity:	Abundant.
	<u>Anthers:</u>	
20	Size:	Medium.
	Color:	Greyed-Yellow Group 162B to Yellow 13B.
	<u>Filaments:</u>	
	Color:	Yellow-Green Group 1C.
25	<u>Stigmas:</u>	At same position as anthers.

Color: Yellow-Green Group 145C.

Styles:

Color: Yellow-Green Group 145C.

Other intonations: Slight intonations in upper
third of Greyed-Red Group
181A.

5

PLANT

Plant growth: Vigorous, compact, upright.
When grown as a 15 cm pot
plant, the average height of
the plant itself is 24 cm
to 26 cm and the average
width is 26 cm to 28 cm.

10

Stems:

15

Color:

Young wood: Green Group 137A-B.

Older wood: Green Group 137A-B.

Prickles:

Incidence: Few prickles.

20

Size: Average length: 5 mm to
6 mm.

Color: Yellow-Green Group 149D.
With anthocyanin intonations
of Greyed-Red Group 179C.

25

Shape: Linear.

Surface:

Young wood: Smooth.

Older wood: Smooth.

Plant foliage: Number of leaflets on
5 typical leaves in middle of
the stem: 5 leaflets, with a
range of 3 to 7 leaflets.

Leaf size: 110 mm to 120 mm (l) x 85 mm
to 100 mm (w).

10 Quantity: Above average abundance.

Color:

Upper Leaf Surface: Green Group 137A-139A.

Lower Leaf Surface: Yellow-Green Group 147B-C.

Juvenile foliage:

15 Upper Leaf Surface: Green Group 143A-B.

Lower Leaf Surface: Yellow-Green Group 146B.

Anthocyanin intonation:

Location: Underside leaflets, leaflet
margins, rachis & petiole.

20 Color: Greyed-Red Group 179B.

Plant leaves and leaflets:

Stipules:

Size: 8 mm to 10 mm.

Color: Green Group 137A.

25 Stipitate glands: Stipitate glands present on

Other: Glossy and moderately thick.
On plants grown under high
light conditions,
intimations of Greyed-Red
Group 179B.

5

Disease resistance:

Above average resistance to mildew, black spot, and
Botrytis under normal growing conditions in Half Moon Bay,
California.

CLAIM

5 A new and distinct variety of Compact Floribunda rose,
substantially as herein illustrated and described as a
distinct and novel rose variety due to its abundant, bronze
flowers, vigorous and compact growth, year round flowering
under glasshouse conditions, suitability for production
from softwood cuttings in pots, and durable flowers and
foliage which make the variety suitable for distribution in
the floral industry.

COMPACT FLORIBUNDA
ROSE VARIETY
'POULymp'

ABSTRACT OF THE DISCLOSURE

A new rose plant which has abundant, bronze flowers and attractive foliage. The variety successfully propagates from softwood cuttings and is suitable for year round production in commercial glasshouses. This new and distinct variety has shown to be uniform and stable in the resulting generations from asexual propagation.

POULymp


1



2



3



POULymp

4

6

DECLARATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the new and distinct plant variety which is claimed and for which a patent is sought on the invention entitled:

Compact Floribunda Rose Plant Named 'POULymp'

the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I state that I have invented, or discovered in a cultivated area, and/or asexually reproduced the new and distinct plant variety.

I acknowledge the duty to disclose information which is known by me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

PRIOR FOREIGN APPLICATION(S)

(Number)	(Location)	(Day/Month/Year Filed)	Yes	No
<u>96/6133-46</u>	<u>European Union</u>	<u>16 September 1998</u>	Priority Claimed	
<u>98-1516</u>	<u>Canada</u>	<u>15 October 1998</u>	<u>X</u>	<u>X</u>

I hereby claim that benefit under Title 35, United States Code, §120, of any United States application(s) listed below and insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States Applications in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 (a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Plant Declaration

Page 2

Send all correspondence to: Mogens N. Olesen, Poulsen Roser Pacific, Inc., 2550 Old Military Road, Central Point, Oregon 97502 U.S.A., Telephone (1-541-773-5009), Fax (1-541-773-5080).

I, as a below named inventor, hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole or First Inventor L. Pernille Olesen

Inventor's Signature L. Pernille Olesen

Date 25 May 2000

Residence Address Hillerødvejen 49, DK-3480, Fredensborg, DENMARK

Citizenship Danish

Post Office Address Hillerødvejen 49, DK-3480, Fredensborg,

DENMARK

Full Name of Second Joint Inventor, if any Mogens N. Olesen

Inventor's Signature Mogens N. Olesen

Date 25 May 2000


Residence Address Hillerødvejen 49, DK-3480, Fredensborg, DENMARK

Citizenship Danish

Post Office Address Hillerødvejen 49, DK-3480, Fredensborg,

DENMARK

United States Patent & Trademark Office
Office of Initial Patent Examination – Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☒ Scanned copy is best available. DRAWINGS